RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/642.284A
Source:	1 Fwo,
Date Processed by STIC:	6/5/06
Dute 1100000000 of 2 == 2.	

ENTERED



I FWO

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/642,284A**DATE: 06/05/2006

TIME: 11:25:47

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

```
3 <110> APPLICANT: KUMAGAI, Izumi et al.
     5 <120> TITLE OF INVENTION: NOVEL DIABODY-TYPE BISPECIFIC ANTIBODY
     7 <130> FILE REFERENCE: 4600-0106P
     9 <140> CURRENT APPLICATION NUMBER: US 10/642,284A
     10 <141> CURRENT FILING DATE: 2003-08-18
     12 <150> PRIOR APPLICATION NUMBER: JP 2003-038643
     13 <151> PRIOR FILING DATE: 2003-02-17
     15 <160> NUMBER OF SEQ ID NOS: 40
     17 <170> SOFTWARE: PatentIn version 3.1
     19 <210> SEO ID NO: 1
     20 <211> LENGTH: 33
     21 <212> TYPE: DNA
     22 <213> ORGANISM: Artificial Sequence
     24 <220> FEATURE:
    25 <223> OTHER INFORMATION: A NcoI-5H back primer
    27 <220> FEATURE:
     28 <221> NAME/KEY: misc_feature
     29 <222> LOCATION: (1)..(3)
     30 <223> OTHER INFORMATION: n is a, c, g, or t
     32 <400> SEQUENCE: 1
W--> 33 nnnccatggc ccaggtccag ctgcagcagt ctg
     36 <210> SEO ID NO: 2
     37 <211> LENGTH: 28
     38 <212> TYPE: DNA
     39 <213> ORGANISM: Artificial Sequence
    41 <220> FEATURE:
    42 <223> OTHER INFORMATION: B 5H-EagI forward primer
     44 <220> FEATURE:
     45 <221> NAME/KEY: misc feature
     46 <222> LOCATION: (1)..(3)
    47 <223> OTHER INFORMATION: n is a, c, g, or t
     49 <400> SEQUENCE: 2
W--> 50 nnncggccga ggagactgtg agagtggt
                                         28
    53 <210> SEQ ID NO: 3
    54 <211> LENGTH: 26
    55 <212> TYPE: DNA
    56 <213> ORGANISM: Artificial Sequence
    58 <220> FEATURE:
    59 <223> OTHER INFORMATION: C EcoRV-5L back primer
    61 <220> FEATURE:
    62 <221> NAME/KEY: misc feature
    63 <222> LOCATION: (1)..(3)
    64 <223> OTHER INFORMATION: n is a, c, g, or t
```

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

```
66 <400> SEQUENCE: 3
W--> 67 nnngatatcc taatgaccca atctcc
                                                26
     70 <210> SEQ ID NO: 4
     71 <211> LENGTH: 29
     72 <212> TYPE: DNA
     73 <213> ORGANISM: Artificial Sequence
     75 <220> FEATURE:
     76 <223> OTHER INFORMATION: D 5L-SacII forward primer
     78 <220> FEATURE:
     79 <221> NAME/KEY: misc feature
     80 <222> LOCATION: (1)..(3)
     81 <223> OTHER INFORMATION: n is a, c, g, or t
     83 <400> SEQUENCE: 4
W--> 84 nnnccgcggc acgtttgatt tccagcttg
     87 <210> SEQ ID NO: 5
     88 <211> LENGTH: 32
     89 <212> TYPE: DNA
     90 <213> ORGANISM: Artificial Sequence
     92 <220> FEATURE:
     93 <223> OTHER INFORMATION: E NcoI-h5H back primer
     95 <220> FEATURE:
     96 <221> NAME/KEY: misc feature
     97 <222> LOCATION: (1)..(3)
     98 <223> OTHER INFORMATION: n is a, c, q, or t
     100 <400> SEQUENCE: 5
W--> 101 nnnccatggc ccaggtgcaa ctggttcaga gc
     104 <210> SEQ ID NO: 6
     105 <211> LENGTH: 29
     106 <212> TYPE: DNA
     107 <213> ORGANISM: Artificial Sequence
     109 <220> FEATURE:
     110 <223> OTHER INFORMATION: F h5H-EagI forward primer
     112 <220> FEATURE:
     113 <221> NAME/KEY: misc_feature
     114 <222> LOCATION: (1)..(3)
     115 <223> OTHER INFORMATION: n is a, c, g, or t
     117 <400> SEQUENCE: 6
W--> 118 nnncggccga gctcacggta accagcgta
                                                 29
     121 <210> SEQ ID NO: 7
     122 <211> LENGTH: 23
     123 <212> TYPE: DNA
     124 <213> ORGANISM: Artificial Sequence
     126 <220> FEATURE:
     127 <223> OTHER INFORMATION: G EcoRV-hOL back primer
     129 <220> FEATURE:
     130 <221> NAME/KEY: misc feature
     131 <222> LOCATION: (1)..(3)
     132 <223> OTHER INFORMATION: n is a, c, g, or t
```

134 <400> SEQUENCE: 7

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

W--> 135 nnngatatcc agatgaccca gag 138 <210> SEQ ID NO: 8 139 <211> LENGTH: 23 140 <212> TYPE: DNA 141 <213> ORGANISM: Artificial Sequence 143 <220> FEATURE: 144 <223> OTHER INFORMATION: H hOL-SacII forward primer 146 <220> FEATURE: 147 <221> NAME/KEY: misc feature 148 <222> LOCATION: (1)..(3) 149 <223> OTHER INFORMATION: n is a, c, g, or t 151 <400> SEQUENCE: 8 W--> 152 nnnccgcggc gcgggtaatc tgc 23 155 <210> SEQ ID NO: 9 156 <211> LENGTH: 26 157 <212> TYPE: DNA 158 <213> ORGANISM: Artificial Sequence 160 <220> FEATURE: 161 <223> OTHER INFORMATION: I NcoI-hOH back primer 163 <220> FEATURE: 164 <221> NAME/KEY: misc_feature 165 <222> LOCATION: (1)..(3) 166 <223 > OTHER INFORMATION: n is a, c, q, or t 169 <400> SEQUENCE: 9 W--> 170 nnnccatggc ccaggtgcaa ctggtg 173 <210> SEQ ID NO: 10 174 <211> LENGTH: 23 175 <212> TYPE: DNA 176 <213> ORGANISM: Artificial Sequence 178 <220> FEATURE: 179 <223> OTHER INFORMATION: J hOH-EagI forward primer 181 <220> FEATURE: 182 <221> NAME/KEY: misc_feature 183 <222> LOCATION: (1)..(3) 184 <223> OTHER INFORMATION: n is a, c, g, or t 186 <400> SEQUENCE: 10 W--> 187 nnncggccga gctaacggtc acc 23 190 <210> SEQ ID NO: 11 191 <211> LENGTH: 26 192 <212> TYPE: DNA 193 <213> ORGANISM: Artificial Sequence 195 <220> FEATURE: 196 <223> OTHER INFORMATION: K EcoRV-h5L back primer 198 <220> FEATURE: 199 <221> NAME/KEY: misc feature 200 <222> LOCATION: (1)..(3) 201 <223> OTHER INFORMATION: n is a, c, g, or t 203 <400> SEQUENCE: 11 W--> 204 nnngatatcg tgatgaccca gagccc

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

207 <210> SEQ ID NO: 12 208 <211> LENGTH: 36 209 <212> TYPE: DNA 210 <213> ORGANISM: Artificial Sequence 212 <220> FEATURE: 213 <223> OTHER INFORMATION: L h5L-SacII forward primer 215 <220> FEATURE: 216 <221> NAME/KEY: misc feature 217 <222> LOCATION: (1)..(3) 218 <223> OTHER INFORMATION: n is a, c, g, or t 220 <400> SEQUENCE: 12 W--> 221 nnnccgcggc gcgtttaatt tccactttgg tgccac 36 224 <210> SEQ ID NO: 13 225 <211> LENGTH: 27 226 <212> TYPE: DNA 227 <213> ORGANISM: Artificial Sequence 229 <220> FEATURE: 230 <223> OTHER INFORMATION: M h5H-M48I(+) 232 <400> SEQUENCE: 13 233 gcctggaatg gattggtaac atttatc 27 236 <210> SEQ ID NO: 14 237 <211> LENGTH: 27 238 <212> TYPE: DNA 239 <213> ORGANISM: Artificial Sequence 241 <220> FEATURE: 242 <223> OTHER INFORMATION: N h5H-M48I(-) 244 <400> SEQUENCE: 14 245 gataaatgtt accaatccat tccaggc 27 248 <210> SEQ ID NO: 15 249 <211> LENGTH: 21 250 <212> TYPE: DNA 251 <213> ORGANISM: Artificial Sequence 253 <220> FEATURE: 254 <223> OTHER INFORMATION: O h5H-A93T(+) 256 <400> SEQUENCE: 15 257 tattactgca cgcgcagtgg c 21 260 <210> SEQ ID NO: 16 261 <211> LENGTH: 21 262 <212> TYPE: DNA 263 <213> ORGANISM: Artificial Sequence 265 <220> FEATURE: 266 <223> OTHER INFORMATION: P h5H-A93T(-) 268 <400> SEQUENCE: 16 269 gccactgcgc gtgcagtaat a 21 272 <210> SEQ ID NO: 17 273 <211> LENGTH: 38 274 <212> TYPE: DNA 275 <213> ORGANISM: Artificial Sequence

277 <220> FEATURE:

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

278 <223> OTHER INFORMATION: Q h5H-R66KR71V(+) 280 <400> SEQUENCE: 17 281 atttaagaac aaagtgacca tgacggttga taccagca 38 284 <210> SEQ ID NO: 18 285 <211> LENGTH: 38 286 <212> TYPE: DNA 287 <213> ORGANISM: Artificial Sequence 289 <220> FEATURE: 290 <223> OTHER INFORMATION: R h5H-R66KR71V(-) 292 <400> SEQUENCE: 18 293 tgctggtatc aaccgtcatg gtcactttgt tcttaaat 38 296 <210> SEQ ID NO: 19 297 <211> LENGTH: 21 298 <212> TYPE: DNA 299 <213> ORGANISM: Artificial Sequence 301 <220> FEATURE: 302 <223> OTHER INFORMATION: S h5H-Y27D(+) 304 <400> SEQUENCE: 19 305 gcctcaggcg atacctttac g 21 308 <210> SEQ ID NO: 20 309 <211> LENGTH: 21 310 <212> TYPE: DNA 311 <213> ORGANISM: Artificial Sequence 313 <220> FEATURE: 314 <223> OTHER INFORMATION: T h5H-Y27D(-) 316 <400> SEQUENCE: 20 317 cgtaaaggta tcgcctgagg c 21 320 <210> SEQ ID NO: 21 321 <211> LENGTH: 35 322 <212> TYPE: DNA 323 <213> ORGANISM: Artificial Sequence 325 <220> FEATURE: 326 <223> OTHER INFORMATION: U h5H-M69LT73R(+) 328 <400> SEQUENCE: 21 329 caaagtgacc ctgacggttg atcgcagcat ttcga 35 332 <210> SEQ ID NO: 22 333 <211> LENGTH: 35 334 <212> TYPE: DNA 335 <213> ORGANISM: Artificial Sequence 337 <220> FEATURE: 338 <223> OTHER INFORMATION: V h5H-M69LT73R(-) 340 <400> SEQUENCE: 22 341 tcgaaatgct gcgatcaacc gtcagggtca ctttg 344 <210> SEQ ID NO: 23 345 <211> LENGTH: 30 346 <212> TYPE: DNA 347 <213> ORGANISM: Artificial Sequence 349 <220> FEATURE: 350 <223> OTHER INFORMATION: W h5H-I75SS76RA78V(+)

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 1,2,3 Seq#:2; N Pos. 1,2,3 Seq#:3; N Pos. 1,2,3 Seq#:4; N Pos. 1,2,3 Seq#:5; N Pos. 1,2,3 Seq#:6; N Pos. 1,2,3 Seq#:7; N Pos. 1,2,3 Seq#:8; N Pos. 1,2,3 Seq#:9; N Pos. 1,2,3 Seq#:10; N Pos. 1,2,3 Seq#:11; N Pos. 1,2,3 Seq#:11; N Pos. 1,2,3 VERIFICATION SUMMARY

PATENT APPLICATION: US/10/642,284A

DATE: 06/05/2006
TIME: 11:25:48

Input Set : A:\2006-05-08 4600-0106P.ST25.txt
Output Set: N:\CRF4\06052006\J642284A.raw

L:33 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:50 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:67 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:84 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:101 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:118 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:135 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:152 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:170 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:187 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:204 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0